

CARBON FIBER SHAFT

Stromag's Carbon Fiber Shaft is the perfect extension for our well-known couplings Periflex® VN or TRI-R for all available sizes.

The Stromag carbon fiber shaft is suitable for all kinds of ships and particularly for fast ferries, luxury yachts, naval vessels and tug boats. The use of carbon fiber shafts allows to bridge longer distances without bearing support than a steel shaft with the same dimensions. Each shaft can be customized further, e.g. with Bulkhead Seals.

The combination of the fiber shaft and the coupling is designed together to create a package solution, that fits the unique challenges of your application.

FEATURES:

- Dimensions up to 12 m length and 800 mm diameter
- 70% lighter as a conventional shaft
- Heat-resistant up to 120 degrees Celsius
- Between motor and gearbox or waterjet, or between gearbox and waterjet

ADVANTAGES:

- Allows high critical speed of the coupling
- Configurable ratio of torsional and bending stiffness
- Vibration and sound damping
- Corrosion-resistant as well as wear and maintenance free
- Corresponds to the requirements of certification authorities e.g., GL, BV or DNV



Stromag GmbH
Hansastraße 120
59423 Unna - Germany
+49 2303 102-0
stromag.com

The proper selection and application of products and components, including assuring that the product is safe for its intended use, are the responsibility of the customer. To view our Application Considerations, please visit <https://www.regalrexnord.com/Application-Considerations>.

To view our Standard Terms and Conditions of Sale, please visit <https://www.regalrexnord.com/Terms-and-Conditions-of-Sale>.

"Regal Rexnord" is not indicative of legal entity. Refer to product purchase documentation for the applicable legal entity.

Regal Rexnord and Stromag are trademarks of Regal Rexnord Corporation or one of its affiliated companies.

© 2024 Regal Rexnord Corporation, All Rights Reserved.
MCF-P-8924-SG-A4-EN 09/24